


Includes: Poles 2 Elbow Joints 2 90-Degree Bends

2 Feet Graphic Carrying Bag



Using the numbers on the frame, connect the exterior tubes.




Then lay the frame down and insert the center rods.



Starting from the top corner, pull the tension fabric print over the frame.



Adjust the fabric and frame as needed to ensure the graphics are straight and secure.





Includes: Poles Steel Base Graphic Allen Wrench



frame, connect the tubes.



Using allen wrench, secure frame to steel base by tightening the aluminum studs.



Starting from the top corner, pull the tension fabric print over the frame.




frame as needed to ensure the graphics are straight and secure.






Includes: Top and Bottom Base Carrying Case Poles Graphic



With numbers matching, insert poles together to form three poles.




Insert the three poles into the base, then attach the top part.



Press cord into depression around outer edge. Continue around until all cord is inside the depression.




Pull graphic up to press cord into the other depression on the other side. Continue around until all cord is inside the depression.






Includes: Banner with Button Holes X-Banner Frame





Using your graphic with button holes, attach each of the four corners to the hooks on the X-Banner frame.



Ensure that the X-Banner frame is fully extended and taut in order to properly display your graphic.


#### Literature Display Rack Z Shape



Includes: Literature Rack Carry Bag



Take product out of the bag and sit with adjustable slide on the bottom.



Take top platform on the non-hinged end and extend up.



Secure rack using the adjustable height slider. Three height options available.

Designed to support A4 printed materials on the five trays as well as allow users to adjust the height to 3 appropriate positions for advertising versatility.

